

DuPont™ Tychem® 6000 SFR



Broad chemical protection and secondary flame resistance in a lightweight garment



In many work places, dual chemical and fire hazards are both serious concerns. Don't compromise on protection.

- Provides at least 30 minutes of protection for more than 250 chemical challenges, including chemical warfare agents, toxic industrial chemicals and flammable organic solvents
- Provides secondary flame resistance when worn over primary flame-resistant garments like those made with DuPont™ Nomex®
- In the event that a flash fire occurs, the garment won't contribute additional burn injury if appropriate flame-resistant personal protective equipment is worn beneath.

Please visit our free online DuPont™ SafeSPEC™ selector tool to help determine the appropriate protection based on your hazard risk assessment.

safespec.dupont.com



Refineries



Petrochemical plants



Hazardous maintenance operations



Laboratories



Clandestine lab investigation




Fire departments





Part number	Garment style	Seam construction	Color	Sizes
FS127TLTX000600	Hooded coverall	Taped	Light tan	SM-5X



SafeSPEC™—we're here to help

Our powerful web-based tool can assist you with finding the appropriate DuPont garments for chemical and controlled environment hazards.

safespec.dupont.com



Certified Industrial Hygienist team

A DuPont Certified Industrial Hygienist can conduct a job hazard assessment to help you determine the best DuPont garment for a specific hazard.

NOTE: Tychem® 6000 SFR garments provide only secondary flame-resistant protection. They must always be worn over appropriate primary flame-resistant protective clothing in an environment that needs flame protection, along with other personal protective equipment that protects your face, hands and feet. For Tychem® 6000 SFR hooded garments, a primary flame-resistant hood/balaclava should be worn.

Do not knowingly enter an environment in which the concentration of flammable gas is within flammable or explosive limits when wearing a Tychem® 6000 SFR garment. Retreat immediately if you encounter such an environment.

Tychem® 6000 SFR garments are not intended for firefighting activities, nor for protection from hot liquids, steam, molten metals, welding or thermal radiation.

This information is based upon technical data that DuPont believes to be reliable. It is subject to revision as additional knowledge and experience become available. It is the user's responsibility to determine the level of toxicity and the proper personal protective equipment needed. The information set forth herein reflects laboratory performance of fabrics, not complete garments, under controlled conditions. This information is intended for use by persons having the technical expertise to undertake evaluation under their own specific end-use conditions, at their own discretion and risk. Anyone intending to use this information should first check that the garment selected is suitable for the intended use. The end-user should discontinue use of garment if fabric becomes torn, worn or punctured, to avoid potential chemical exposure. Since conditions of use are beyond our control, DUPONT DE NEMOURS AND ITS AFFILIATES MAKE NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ASSUME NO LIABILITY IN CONNECTION WITH ANY USE OF THIS INFORMATION. This information is not intended as a license to operate under or a recommendation to infringe any trademark, patent or technical information of DuPont or other persons covering any material or its use.



DuPont Personal Protection
Customer service 1 800 931 3456
personalprotection.dupont.com

Connect with us:

© 2025 DuPont. All rights reserved. DuPont™, the DuPont Oval Logo and all trademarks and service marks denoted with ™, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. DSF24_2401-0394 (1/25)